

## **Test Report**

號碼(No.): CE/2017/26497 日期(Date): 2017/03/06 頁數(Page): 1 of 10

佑星興業有限公司 YOU XING ENTERPRISE CO., LTD.

桃園市龜山區振興路1173之1號

NO. 1173-1, JHENSING RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

送樣廠商(Sample Submitted By) 佑星興業有限公司 (YOU XING ENTERPRISE CO., LTD.)

樣品名稱(Sample Description) NON-BASE ADHESIVE TAPE (無基材膠帶)

樣品型號(Style/Item No.) 5010 \cdot 5020 \cdot 5030 \cdot 5040 \cdot 5050

收件日期(Sample Receiving Date) 2017/02/23

測試期間(Testing Period) 2017/02/23 TO 2017/03/06

#### 測試需求(Test Requested):

(1) 依據客戶指定,參考ROHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試鎘、鉛、汞、六價鉻、多溴聯苯、多溴 聯苯醚, DBP, BBP, DEHP, DIBP. (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample.)

(2) 依據客戶指定,進行全氟辛酸、全氟辛烷磺酸、鹵素-氟、氯、溴、碘測試. (As specified by client, to test PFOA, PFOS, Halogen-Fluorine, Chlorine, Bromine, Iodine contents in the submitted sample.)

請見下一頁 (Please refer to next pages). 測試結果(Test Results)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-



**Test Report** 

號碼(No.): CE/2017/26497 日期(Date): 2017/03/06 頁數(Page): 2 of 10

佑星興業有限公司 YOU XING ENTERPRISE CO., LTD. 桃園市龜山區振興路1173之1號 NO. 1173-1, JHENSING RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN

#### 測試結果(Test Results)

測試部位(PART NAME)No.1 透明黏膠(不含離型紙)(TRANSPARENT ADHESIVE (EXCLUDING THE RELEASE PAPER))

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
鎬 / Cadmium (Cd)	mg/kg	參考IEC 62321-5 (2013), 以感應耦合 電漿原子發射光譜儀檢測. / With reference to IEC 62321-5 (2013) and performed by ICP-AES.	2	n. d.
鉛 / Lead (Pb)	mg/kg	參考IEC 62321-5 (2013), 以感應耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321-5 (2013) and performed by ICP-AES.	2	n. d.
汞 / Mercury (Hg)	mg/kg	參考IEC 62321-4 (2013), 以感應耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321-4 (2013) and performed by ICP-AES.	2	n. d.
六價鉻 / Hexavalent Chromium Cr(VI)	mg/kg	参考IEC 62321 (2008),以UV-VIS檢測. / With reference to IEC 62321 (2008) and performed by UV-VIS.	2	n. d.
鹵素 / Halogen				
鹵素(氟)/ Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg	参考BS EN 14582 (2007),以離子層析 儀分析. / With reference to BS EN 14582 (2007). Analysis was performed by IC.	50	n. d.
鹵素(氯)/ Halogen-Chlorine (C1) (CAS No.: 22537-15-1)	mg/kg		50	n. d.
鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg		50	n. d.
鹵素(碘)/ Halogen-Iodine(I)(CAS No.: 14362-44-8)	mg/kg		50	n. d.



號碼(No.): CE/2017/26497 日期(Date): 2017/03/06

頁數(Page): 3 of 10

**Test Report** 佑星興業有限公司

YOU XING ENTERPRISE CO., LTD. 桃園市龜山區振興路1173之1號

NO. 1173-1, JHENSING RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測極限値	結果 (Result)
	, ,		(MDL)	No. 1
多溴聯苯總和 / Sum of PBBs	mg/kg		-	n. d.
一溴聯苯 / Monobromobiphenyl	mg/kg		5	n. d.
二溴聯苯 / Dibromobiphenyl	mg/kg		5	n. d.
三溴聯苯 / Tribromobiphenyl	mg/kg		5	n. d.
四溴聯苯 / Tetrabromobiphenyl	mg/kg		5	n. d.
五溴聯苯 / Pentabromobiphenyl	mg/kg		5	n. d.
六溴聯苯 / Hexabromobiphenyl	mg/kg		5	n. d.
七溴聯苯 / Heptabromobiphenyl	mg/kg		5	n. d.
八溴聯苯 / Octabromobiphenyl	mg/kg		5	n. d.
九溴聯苯 / Nonabromobiphenyl	mg/kg	   參考IEC 62321-6 (2015), 以氣相層析/	5	n. d.
十溴聯苯 / Decabromobiphenyl	mg/kg	質譜儀檢測. / With reference to IEC	5	n. d.
多溴聯苯醚總和 / Sum of PBDEs	mg/kg	62321-6 (2015) and performed by GC/MS.	-	n. d.
一溴聯苯醚 / Monobromodiphenyl ether	mg/kg		5	n. d.
二溴聯苯醚 / Dibromodiphenyl ether	mg/kg		5	n. d.
三溴聯苯醚 / Tribromodiphenyl ether	mg/kg		5	n. d.
四溴聯苯醚 / Tetrabromodiphenyl ether	mg/kg		5	n. d.
五溴聯苯醚 / Pentabromodiphenyl ether	mg/kg		5	n. d.
六溴聯苯醚 / Hexabromodiphenyl ether	mg/kg		5	n. d.
七溴聯苯醚 / Heptabromodiphenyl ether	mg/kg		5	n. d.
八溴聯苯醚 / Octabromodiphenyl ether	mg/kg		5	n. d.
九溴聯苯醚 / Nonabromodiphenyl ether	mg/kg		5	n. d.
十溴聯苯醚 / Decabromodiphenyl ether	mg/kg		5	n. d.



# **Test Report**

號碼(No.): CE/2017/26497 日期(Date): 2017/03/06 頁數(Page): 4 of 10

佑星興業有限公司 YOU XING ENTERPRISE CO., LTD. 桃園市龜山區振興路1173之1號

NO. 1173-1, JHENSING RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
鄰苯二甲酸丁苯甲酯 / BBP (Butyl Benzyl phthalate) (CAS No.: 85-68-7)	mg/kg	参考IEC 62321-8/CD (2013),以氣相層 析儀/質譜儀檢測. / With reference to IEC 62321-8/CD (2013). Analysis was performed by GC/MS.	50	n. d.
鄰苯二甲酸二丁酯 / DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	mg/kg		50	n. d.
鄰苯二甲酸二異丁酯 / DIBP (Di- isobutyl phthalate) (CAS No.: 84-69- 5)	mg/kg		50	n. d.
鄰苯二甲酸二 (2-乙基己基)酯 / DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	mg/kg		50	n. d.
全氟辛烷磺酸 / Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide)	mg/kg	参考US EPA 3550C (2007),以液相層析/質譜儀檢測./ With reference to US EPA 3550C (2007).Analysis was	10	n. d.
全氟辛酸 / PFOA (CAS No.: 335-67-1)	mg/kg	performed by LC/MS.	10	n. d.

#### 備註(Note):

- 1. mg/kg = ppm; 0. 1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)

#### PFOS参考資訊(Reference Information): 持久性有機污染物 POPs - (EU) 757/2010

PFOS濃度在物質或製備中不得超過0.001%(10ppm),在半成品、成品或零部件中不得超過0.1%(1000ppm),在紡織品 或塗層材料中不得超過lug/m<sup>2</sup>。

(Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semifinished products or articles or parts at a level above 0.1%(1000ppm), in textiles or other coated materials above 1µg/m<sup>2</sup>.)



### **Test Report**

號碼(No.): CE/2017/26497 日期(Date): 2017/03/06

頁數(Page): 5 of 10

佑星興業有限公司

YOU XING ENTERPRISE CO., LTD.

桃園市龜山區振興路1173之1號


NO. 1173-1, JHENSING RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN

#### 重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. ( $Cr^{6+}$  test method excluded)

- 測試人員:王志瑋 / Technician: JR Wang
- 測試負責人:張啟興 / Supervisor: Troy Chang



#### Note\*\* (For IEC 62321)

- (1) 針對非金屬材料加入鹼性消化液,加熱至 90~95℃ 萃取. / For non-metallic material, add alkaline digestion reagent and heat to
- (2) 針對金屬材料加入純水,加熱至沸騰萃取. / For metallic material, add pure water and heat to boiling.



# **Test Report**

號碼(No.): CE/2017/26497 日期(Date): 2017/03/06 頁數(Page): 6 of 10

佑星興業有限公司 YOU XING ENTERPRISE CO., LTD. 桃園市龜山區振興路1173之1號


NO. 1173-1, JHENSING RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN

#### 多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBB/PBDE

測試人員:涂雅苓 / Technician: Yaling Tu

測試負責人:張啟興 / Supervisor: Troy Chang

初次測試程序 / First testing process -確認程序 / Confirmation process \_ · \_ · ▶





# 測試報告 **Test Report**

號碼(No.): CE/2017/26497 日期(Date): 2017/03/06


頁數(Page): 7 of 10

佑星興業有限公司 YOU XING ENTERPRISE CO., LTD. 桃園市龜山區振興路1173之1號 NO. 1173-1, JHENSING RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN

#### <u>可塑劑分析流程圖 / Analytical flow chart - Phthalate</u>

測試人員:徐毓明 / Technician: Andy Shu 測試負責人:張啟興 / Supervisor: Troy Chang

【測試方法/Test method: IEC 62321-8】





# 測試報告 **Test Report**

號碼(No.): CE/2017/26497 日期(Date): 2017/03/06

頁數(Page): 8 of 10


佑星興業有限公司 YOU XING ENTERPRISE CO., LTD. 桃園市龜山區振興路1173之1號

NO. 1173-1, JHENSING RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN

#### 鹵素分析流程圖 / Analytical flow chart - Halogen

測試人員: 陳恩臻 / Technician: Rita Chen

測試負責人:張啟興 / Supervisor: Troy Chang





# **Test Report**


號碼(No.): CE/2017/26497 日期(Date): 2017/03/06 頁數(Page): 9 of 10

佑星興業有限公司 YOU XING ENTERPRISE CO., LTD. 桃園市龜山區振興路1173之1號 NO. 1173-1, JHENSING RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN

#### 全氟辛酸/全氟辛烷磺酸分析流程圖 / Analytical flow chart - PFOA/PFOS

測試人員:涂雅苓 / Technician: Yaling Tu

測試負責人:張啟興 / Supervisor: Troy Chang





**Test Report** 

號碼(No.): CE/2017/26497 日期(Date): 2017/03/06 頁數(Page): 10 of 10

佑星興業有限公司 YOU XING ENTERPRISE CO., LTD. 桃園市龜山區振興路1173之1號 NO. 1173-1, JHENSING RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN

> \* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. \* (The tested sample / part is marked by an arrow if it's shown on the photo.)

> > CE/2017/26497



\*\* 報告結尾 (End of Report) \*\*