

Test Report

號碼(No.): CE/2016/B3594 日期(Date): 2016/11/28 頁數(Page): 1 of 10

佑星興業有限公司

YOU XING ENTERPRISE CO., LTD.

桃園市龜山區振興路1173之1號

NO. 1173-1, JHENSING RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN R. O. C.

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

送樣廠商(Sample Submitted By) 佑星興業有限公司 (YOU XING ENTERPRISE CO., LTD.) CONDUCTIVE ALUMINUM FOIL TAPE (導電鋁箔膠帶) 樣品名稱(Sample Description)

樣品型號(Style/Item No.) LT112 \ LT116 \ LT117 \ LT118 \ LT118-5 \ LT110-5 \ LT211

收件日期(Sample Receiving Date) 2016/11/21

測試期間(Testing Period) 2016/11/21 TO 2016/11/28

測試需求(Test Requested):

(1) 依據客戶指定,參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試編、鉛、汞、六價鉻、多溴聯苯、多溴聯苯 醚, DBP, BBP, DEHP, DIBP. (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample.)

(2) 其他測試項目請見下一頁 . (Please refer to next pages for the other item(s).)

測試結果(Test Results) : 請見下一頁 (Please refer to next pages).



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-



Test Report

號碼(No.): CE/2016/B3594 日期(Date): 2016/11/28 頁數(Page): 2 of 10

佑星興業有限公司 YOU XING ENTERPRISE CO., LTD. 桃園市龜山區振興路1173之1號

NO. 1173-1, JHENSING RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN R. O. C.

測試結果(Test Results)

測試部位(PART NAME)No.1

: 銀色鋁箔膠帶 (不含離型紙) (SILVER COLORED ALUMINUM FOIL TAPE (EXCLUDING THE RELEASE PAPER))

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1
鎘 / Cadmium (Cd)	mg/kg	參考IEC 62321-5 (2013),以感應耦合 電漿原子發射光譜儀檢測. / With reference to IEC 62321-5 (2013) and performed by ICP-AES.	2	n. d.
鉛 / Lead (Pb)	mg/kg	参考IEC 62321-5 (2013),以感應耦合 電漿原子發射光譜儀檢測. / With reference to IEC 62321-5 (2013) and performed by ICP-AES.	2	5. 43
汞 / Mercury (Hg)	mg/kg	参考IEC 62321-4 (2013),以感應耦合 電漿原子發射光譜儀檢測. / With reference to IEC 62321-4 (2013) and performed by ICP-AES.	2	n. d.
六價鉻 / Hexavalent Chromium Cr(VI)	mg/kg	参考IEC 62321 (2008),以UV-VIS檢 測. / With reference to IEC 62321 (2008) and performed by UV-VIS.	2	n. d.
全氟辛烷磺酸 / Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide)	mg/kg	参考US EPA 3550C (2007),以液相層析/質譜儀檢測. / With reference to US EPA 3550C (2007). Analysis was performed by LC/MS.	10	n. d.
全氟辛酸 / PFOA (CAS No.: 335-67-1)	mg/kg	参考US EPA 3550C (2007),以液相層析/質譜儀檢測. / With reference to US EPA 3550C (2007). Analysis was performed by LC/MS.	10	n. d.



Test Report

號碼(No.): CE/2016/B3594 日期(Date): 2016/11/28 頁數(Page): 3 of 10

佑星興業有限公司 YOU XING ENTERPRISE CO., LTD. 桃園市龜山區振興路1173之1號

NO. 1173-1, JHENSING RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN R. O. C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1
多溴聯苯總和 / Sum of PBBs	mg/kg		-	n. d.
一溴聯苯 / Monobromobiphenyl	mg/kg		5	n. d.
二溴聯苯 / Dibromobiphenyl	mg/kg		5	n. d.
三溴聯苯 / Tribromobiphenyl	mg/kg		5	n. d.
四溴聯苯 / Tetrabromobiphenyl	mg/kg		5	n. d.
五溴聯苯 / Pentabromobiphenyl	mg/kg		5	n. d.
六溴聯苯 / Hexabromobiphenyl	mg/kg		5	n. d.
七溴聯苯 / Heptabromobiphenyl	mg/kg		5	n. d.
へ溴聯苯 / Octabromobiphenyl	mg/kg		5	n. d.
九溴聯苯 / Nonabromobiphenyl	mg/kg	參考IEC 62321-6 (2015),以氣相層析	5	n. d.
十溴聯苯 / Decabromobiphenyl	mg/kg	/質譜儀檢測. / With reference to	5	n. d.
多溴聯苯醚總和 / Sum of PBDEs	mg/kg	IEC 62321-6 (2015) and performed	-	n. d.
一溴聯苯醚 / Monobromodiphenyl ether	mg/kg	by GC/MS.	5	n. d.
二溴聯苯醚 / Dibromodiphenyl ether	mg/kg		5	n. d.
三溴聯苯醚 / Tribromodiphenyl ether	mg/kg		5	n. d.
四溴聯苯醚 / Tetrabromodiphenyl ether	mg/kg		5	n. d.
五溴聯苯醚 / Pentabromodiphenyl ether	mg/kg		5	n. d.
六溴聯苯醚 / Hexabromodiphenyl ether	mg/kg		5	n. d.
七溴聯苯醚 / Heptabromodiphenyl ether	mg/kg		5	n. d.
八溴聯苯醚 / Octabromodiphenyl ether	mg/kg		5	n. d.
九溴聯苯醚 / Nonabromodiphenyl ether	mg/kg		5	n. d.
十溴聯苯醚 / Decabromodiphenyl ether	mg/kg		5	n. d.
鄰苯二甲酸丁苯甲酯 / BBP (Butyl Benzyl phthalate) (CAS No.: 85-68-7)	mg/kg	參考IEC 62321-8/CD (2013),以氣相 層析儀/質譜儀檢測. / With reference to IEC 62321-8/CD (2013). Analysis was performed by GC/MS.	50	n. d.
鄰苯二甲酸二丁酯 / DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	mg/kg		50	n. d.
鄰苯二甲酸二異丁酯 / DIBP (Di-isobutyl phthalate) (CAS No.: 84-69-5)	mg/kg		50	n. d.
郷苯二甲酸二 (2-乙基己基)酯 / DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	mg/kg		50	n. d.



Test Report

號碼(No.): CE/2016/B3594 日期(Date): 2016/11/28 頁數(Page): 4 of 10

佑星興業有限公司 YOU XING ENTERPRISE CO., LTD. 桃園市龜山區振興路1173之1號

NO. 1173-1, JHENSING RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN R. O. C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
鹵素 / Halogen				
鹵素(氟)/ Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg	参考BS EN 14582 (2007),以離子層析 儀分析. / With reference to BS EN 14582 (2007). Analysis was performed by IC.	50	n. d.
鹵素(氣)/ Halogen-Chlorine (C1) (CAS No.: 22537-15-1)	mg/kg		50	n. d.
鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg		50	n. d.
鹵素(碘)/ Halogen-Iodine(I)(CAS No.: 14362-44-8)	mg/kg		50	n. d.

備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)

PFOS参考資訊(Reference Information): 持久性有機污染物 POPs - (EU) 757/2010

PFOS濃度在物質或製備中不得超過0.001%(10ppm),在半成品、成品或零部件中不得超過0.1%(1000ppm),在紡織品或塗 層材料中不得超過1µg/m²。

(Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semi-finished products or articles or parts at a level above 0.1%(1000ppm), in textiles or other coated materials above $1\mu g/m^2$.)



Test Report

日期(Date): 2016/11/28

頁數(Page): 5 of 10

佑星興業有限公司 YOU XING ENTERPRISE CO., LTD.

桃園市龜山區振興路1173之1號

NO. 1173-1, JHENSING RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN R. O. C.


號碼(No.): CE/2016/B3594

重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)

- 測試人員:王志瑋 / Technician: JR Wang
- 測試負責人:張啟興 / Supervisor: Troy Chang



Note** (For IEC 62321)

- (1) 針對非金屬材料加入鹼性消化液,加熱至 90~95℃ 萃取. / For non-metallic material, add alkaline digestion reagent and heat to 90~95°C
- (2) 針對金屬材料加入純水,加熱至沸騰萃取. / For metallic material, add pure water and heat to boiling.



Test Report

日期(Date): 2016/11/28

頁數(Page): 6 of 10


佑星興業有限公司 YOU XING ENTERPRISE CO., LTD. 桃園市龜山區振興路1173之1號

NO. 1173-1, JHENSING RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN R. O. C.

號碼(No.): CE/2016/B3594

全氟辛酸/全氟辛烷磺酸分析流程圖 / Analytical flow chart - PFOA/PFOS

- 測試人員:涂雅苓 / Technician: Yaling Tu
- 測試負責人:張啟興 / Supervisor: Troy Chang





Test Report

頁數(Page): 7 of 10

日期(Date): 2016/11/28

佑星興業有限公司 YOU XING ENTERPRISE CO., LTD. 桃園市龜山區振興路1173之1號

NO. 1173-1, JHENSING RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN R. O. C.


號碼(No.): CE/2016/B3594

可塑劑分析流程圖 / Analytical flow chart - Phthalate

測試人員:徐毓明 / Technician: Andy Shu

測試負責人:張啟興 / Supervisor: Troy Chang

【測試方法/Test method: IEC 62321-8】





Test Report

號碼(No.): CE/2016/B3594 日期(Date): 2016/11/28 頁數(Page): 8 of 10


佑星興業有限公司 YOU XING ENTERPRISE CO., LTD. 桃園市龜山區振興路1173之1號

NO. 1173-1, JHENSING RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN R. O. C.

鹵素分析流程圖 / Analytical flow chart - Halogen

測試人員: 陳恩臻 / Technician: Rita Chen

測試負責人:張啟興 / Supervisor: Troy Chang





Test Report

號碼(No.): CE/2016/B3594 日期(Date): 2016/11/28 頁數(Page): 9 of 10

佑星興業有限公司 YOU XING ENTERPRISE CO., LTD. 桃園市龜山區振興路1173之1號


NO. 1173-1, JHENSING RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN R. O. C.

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBB/PBDE

測試人員:涂雅苓 / Technician: Yaling Tu

測試負責人:張啟興 / Supervisor: Troy Chang

初次測試程序 / First testing process _ 確認程序 / Confirmation process _ . _ . ▶





Test Report


號碼(No.): CE/2016/B3594 日期(Date): 2016/11/28 頁數(Page): 10 of 10

佑星興業有限公司 YOU XING ENTERPRISE CO., LTD. 桃園市龜山區振興路1173之1號

NO. 1173-1, JHENSING RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN R. O. C.

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

CE/2016/B3594



** 報告結尾 (End of Report) **